



**HINSPIRGERS POLY INDUSTRIES INC.**



Fax (916) 861-0821  
1-800-877-1269



# DECK-LOCK COVER

**QUOTE**

**ORDER FORM**

Date \_\_\_\_\_ Quote # \_\_\_\_\_ Customer/Job Name \_\_\_\_\_ P.O. # \_\_\_\_\_  
 Customer Name \_\_\_\_\_ Ship To \_\_\_\_\_  
 Address \_\_\_\_\_ Address \_\_\_\_\_  
 City \_\_\_\_\_ City \_\_\_\_\_  
 State \_\_\_\_\_ Zip \_\_\_\_\_ State \_\_\_\_\_  
 Tel # \_\_\_\_\_ Fax # \_\_\_\_\_ Zip \_\_\_\_\_  
 Contact \_\_\_\_\_ E-mail Address \_\_\_\_\_

- COVER TYPE**
- Standard Mesh
  - Mesh 95
  - Mesh 99
  - Solid-Drain
  - Solid-Pump
  - Aquamaster-Drain
  - Aquamaster-Pump

- COVER COLOR**
- Green  Blue  Black  Tan
  - Green  Blue
  - Green  Blue







- SPACING**
- 5' x 5'
  - 3' x 3'

- ANCHOR TYPE**
- Concrete
  - Wood Deck
  - Brass Anchor Collar
  - Interlocking Stake
  - Lawn Stake

Note: Form Fit shaped covers available in 3'x3' spacing only. All covers will be quoted with 5'x5' spacing when possible.

Fill in Dimensions Below

A \_\_\_\_\_  
 B \_\_\_\_\_  
 C \_\_\_\_\_  
 D \_\_\_\_\_  
 E \_\_\_\_\_  
 F \_\_\_\_\_  
 G \_\_\_\_\_  
 H \_\_\_\_\_




- HOW MUCH DECK IS AVAILABLE?**
- More than 3'  Less than 3'
- \_\_\_\_\_ specify  
 Indicate areas with less than 3' of deck

- DECK TYPE**
- Concrete  Wood
  - Other \_\_\_\_\_
- NOTE: If material other than plastic coping or concrete comes to pool edge, perimeter padding may be needed.



- IS THERE A DIVING BOARD?**
- Yes  No
- Distance from pool \_\_\_\_\_

- Cutouts required if non-removable object(s) are within 12"-18" of pool
- Yes  No ← Indicate

**STEP LOCATION**



Location \_\_\_\_\_  
 Size \_\_\_\_\_ x \_\_\_\_\_  
 Offset \_\_\_\_\_



**CORNER TYPE**

- Square
- Diagonal
- Radius



List Price \_\_\_\_\_ Cost Price \_\_\_\_\_

Please submit labeled photos for pools with complex features!

Cutouts may be required if objects are within 18" of pool. Please provide A-B dimensions to locate object.

1. Are there any non-removable handrails, grabrails, or ladders?  Yes  No
2. Grabrails  Yes  No Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_ Distance rails are set back from pool \_\_\_\_\_
3. Handrails  Yes  No Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_ Distance rails extend into pool \_\_\_\_\_
4. Ladders  Yes  No Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_ Ladder Cups (if cutout needed) Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_  
How far does ladder extend into pool? \_\_\_\_\_
5. Fillout  Yes  No Pt# \_\_\_\_\_ Dimensions & distance from pool \_\_\_\_\_ How high if raised? \_\_\_\_\_
6. Dive Stand  Yes  No Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_
7. Slide Logs  Yes  No (within 2') Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_
8. Dive Rocks  Yes  No Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_ Distance back from pool \_\_\_\_\_
9. Grab Rocks  Yes  No Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_ Distance back from pool \_\_\_\_\_
10. Type and width of coping: \_\_\_\_\_ and \_\_\_\_\_
11. Planter or grass area  Yes  No Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_
12. Spa  Yes  No Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_ Separate cover required?  Yes  No  
How high is spa from deck? \_\_\_\_\_ Is spa wall flush w th top of coping?  Yes  No  
Open spillway  Yes  No If yes: To locarn spillway Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_
13. Raised Wall or Raised Bond Beam  Yes  No Height \_\_\_\_\_ Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_
14. Waterfall or Rock Formation  Yes  No Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_
15. Varying Deck Levels  Yes  No Step 1: Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_  
A-B dimenalsos require indicating angle of the deck from pool wall, out onto deck. Height? \_\_\_\_\_  
Step 2: Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_ Step 3: Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_
16. Wood Deck: Are wood deck anchor collars required?  Yes  No Indicate partial wood deck areas: Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_

Note: For Dive Rocks, Spas, Raised Wall/Bond Beam and Waterfall/Rock Formations, give A-B dimenalsos at beginning, end, and a minimum of 1' intervals in between.

No.	A	B	No.	A	B
1			25		
2			26		
3			27		
4			28		
5			29		
6			30		
7			31		
8			32		
9			33		
10			34		
11			35		
12			36		
13			37		
14			38		
15			39		
16			40		
17			41		
18			42		
19			43		
20			44		
21			45		
22			46		
23			47		
24			48		

Length: Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_ = \_\_\_\_\_ (longest point)

Width: Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_ = \_\_\_\_\_ (widest point)

Additional cross dimensions:

Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_ = \_\_\_\_\_

Pt# \_\_\_\_\_ to Pt# \_\_\_\_\_ = \_\_\_\_\_


The distance between A and B is \_\_\_\_\_

Show A B in relation to the pool (on sketch).

A-B line, or extensions of, cannot intersect pool.

A must be on left when facing the pool.

Indicate areas where the deck is less than 3' from waterline of the pool



# A-B MEASURING INSTRUCTIONS

Necessary for all free-form pools and ovals w/ step other than center end.

1. a. Draw a sketch of the pool shape on the grid provided.
  - b. To represent your A-B line, mark 2 points on the deck in a straight line approximately 3'-4' from the pool's edge and about two-third's (2/3) the length of the pool. "A" must always be to the left of "B" as you face the pool.
  - c. Make sure the pool is totally in front of the A-B line. This is a must because your measurements will be incorrect if this instruction is not observed.
  - d. Measure the A-B line, and on your sketch, note its length and position in reference to the pool.
2. a. Use chalk to mark and number points clockwise around the entire pool at approximately 3 foot intervals. Point #1 must be directly across from the center point of your A-B line. Make sure your marks are on the inside edge of the pool. Make each step corner a numbered point. Measure sharp curves and angles at 1" to 2" intervals or less. Any obstructions such as ladders, slides, rocks, waterfalls, etc. should be a numbered point. Measure these last after complete all pool points.
  - b. Obstructions away from the water's edge but within the 18" overlap area should be numbered last on the A-B form, not in succession as you measure around the pool's edge.
  - c. Make sure to include steps, ladders, waterfalls or any other non-removable obstruction on your sketch.
3. Record measurements from point A and B to all the points you have marked around pool perimeter.
  - a. Secure the end of your 100 ft. measuring tape to "A" on your A-B line and measure the distance to point #1 and note the distance in the "A" column on the chart provided. Continue around the pool until you have recorded all your points with an "A" measurement.
  - b. Secure the end of your 100 ft. measuring tape to "B" and repeat the step above from "B" on your A-B line.
4. a. Take 3-4 diagonal measurements randomly from numbered points on the pool and note in the spaces provided.

Items such as slide legs, ladders (that are not removable), etc. that are within 2' of pool will be cutouts. Measure these items after all pool points are finished.

